

IN THE CLAIMS:

Claim 1 (currently amended): A method for offering specific customer information service to specific customers timely over a communication network according to the changes in daily living circumstances of said customers staying or living in dwelling ~~[[house]]~~ houses or office ~~buildings~~ building, said method comprising ~~[[of]]~~ the steps of:

always monitoring at a dwelling management server equipped in said dwelling ~~[[house]]~~ houses or office ~~building~~ buildings attribute information comprised of inherent information and status information on living facilities and equipment used in said dwelling houses or office buildings,

automatically sending immediately from said dwelling management server said attribute information to a service server equipped on said communication network when there occurs change in said attribute information or at specific time intervals ~~said monitoring information~~ when there is no change in said attribute information, said dwelling management server being connected to said communication network and an information communication network connected to said living facilities and equipment, by way of two-way communication and

storing and analyzing at said service server said attribute information sent from said dwelling management server, and sending back as visual display information after analyzing said attribute information to said dwelling management server introduction information on products or services selected from information prepared in advance~~[[.]]~~ in reply to the received attribute information.

Claim 2 (cancelled).

Claim 3 (cancelled).

Claim 4 (currently amended): A system of offering specific customer information service to specific customers timely over a communication network according to the changes in daily living circumstances of said customers staying or living in dwelling houses or office buildings ~~or dwelling houses~~, said system comprising:

a dwelling management server in said dwelling houses or office buildings for monitoring attribute information comprised of inherent information and status information on living facilities and equipment used in ~~[[the]]~~ said dwelling ~~[[house]]~~ houses or office buildings,

which is connected to said communication network by way of a two-way communication ~~network~~ and

a service server equipped on said communication network for providing said customer information service to said customers,

wherein said dwelling management server is connected to an indoor communication network to which said living facilities and equipment used in ~~[[the]]~~ said dwelling ~~[[house]]~~ houses or office buildings are connected, and constantly monitors said attribute information on said living facilities and equipment and sends said attribute information to said service server immediately when there occurs ~~[[a]]~~ change in said attribute information and at specific time intervals when there is no change in said attribute information, and

wherein said service server stores and analyzes said attribute information sent from said dwelling management server, and sends back as visual display information to said dwelling management server introduction information on ~~product~~ products or service services selected from information prepared in advance in reply to the received attribute information.

Claim 5 (cancelled).

Claim 6 (cancelled).

Claim 7 (currently amended): The system of claim 4, wherein said dwelling management server is a multi-functional communication terminal unit with a request receiving screen on which requests and inquiries from said specific customers in said dwelling houses or office building or dwelling house-occupant buildings are displayed, and wherein said service server analyzes said inquiry and request received through said request receiving screen and sends back as visual information most appropriate advice information selected from various advices prepared in advance to said multi-functional communication terminal unit.

Claim 8 (currently amended): The system of claims 4 or 7, wherein said living facilities and equipment include an emergency calling device, wherein said service server further comprises a users' management data base where location information ~~such as~~ including addresses or telephone numbers of ~~[[the]]~~ said dwelling house is stored and, wherein said service server reports an emergency calling signal to public organs selected from the group consisting of fire stations and police stations, together with location information, referring to said users' management data base, on receiving said emergency calling signal sent from said emergency

calling device.

Claim 9 (currently amended): The system of claim 4 or 7, wherein a center management server with ~~[[the]]~~ customer's use actual result data base is further equipped on said communication network, wherein said dwelling management server comprises means for collecting use actual result information on said living facilities and equipment and sending said actual result information to said center management server, and wherein said center management server analyzes said use actual result information and stores the analysis results in said use actual result data base, on receiving said use actual result ~~[[data]]~~ information from said dwelling management server.

Claim 10 (currently amended): The system of claim 9, wherein said center management server further comprises means for executing a program prepared in advance to automatically prepare a market trend investigation report in a specific form, referring to said use actual result data base as necessary and for sending said market trend investigation report thus prepared to other communication terminals of product manufactures equipped on said communication network.

Claim 11 (currently amended): The system of claim 4 ~~[[or 7]]~~ wherein said living facilities and equipment includes electrical equipment used in said dwelling houses or office buildings and said dwelling management services is a multi-functional communication terminal unit of ~~[[the]]~~ network-adapted type, comprising:

a display screen where necessary information is displayed for remote control or two-way communication,

~~means, connected to an indoor network in which control signals are at least transmitted to living facilities and equipment including electric appliances used in a dwelling house, for remote control of~~ said living facilities and equipment ~~equipped in indoors and outdoors, said means further being connected to a power supply and information network from which electric power is supplied and through which control signals are transmitted to said living facilities and equipment, and~~

means for two-way communicating with ~~[[a]]~~ said communication network ~~comprising the Internet and said indoor communication network, said means being connected to a power supply and information network from which electric power is supplied and through~~

which control signals are transmitted to said living facilities and equipment,

~~whereby said multi-functional communication terminal unit accesses a specific management server to send information on said dwelling house over said information network and attribute information on living facilities and equipment connected to said power supply and said indoor communication network when said attribute information is renewed, or each time a specific period of time passes, while said multi-functional unit displays on said screen renewed introduction information including advertisement on products and services on receiving it from said specific management server~~ unit displays said introduction information on said display screen on receiving said introduction information.

Claim 12 (cancelled).

Claim 13 (currently amended): The system according to claim 11, wherein said power supply and information network comprises a power information integration ~~[[panel]]~~ distribution board, connected to said communication network ~~such as the Internet~~ and a power information distribution board supplying electric power within ~~[[the]]~~ said dwelling ~~[[house]]~~ houses or office buildings, and wherein said power information integration distribution ~~[[panel]]~~ board is connected to said dwelling management server, supplies electric power to said living facilities and equipment in said dwelling ~~[[house]]~~ houses or said office ~~building~~ buildings and further transmits and receives said control signals between said power information integration distribution board and said living facilities and equipment through a feed control line led out from said ~~[[the]]~~ power information integration distribution ~~[[panel]]~~ board.